



Falcon™ Tubes and Pipets

An Original. Just like you.




Double thread cap reduces cross-threading.


Optically clear to improve specimen visibility.

Polypropylene tubes withstand centrifugal forces, 16,000 RCF

Sample integrity is maintained in extremely low temperature to -80°C.

Larger writing patch for sample ID.







Falcon® Tubes and Pipets. As Original as Those Who Use Them.

For more than 50 years, the Falcon brand has set the standard for high-quality disposable plasticware. With proven reliability and consistency for dependable research outcomes, choose Falcon tubes and pipets – an original, just like you.

CORNING

Falcon™ Tubes: Trust the Original to Maintain Sample Quality and Integrity




Preferred by life science researchers around the world.

Falcon conical and round-bottom tubes are preferred by life science researchers around the world because of the thoughtful design and attention to manufacturing detail that goes into our products. They have been designed, tested, and proven to assist you in your research like no other products on the market. Subtle details make Falcon tubes more reliable, more durable, and easier to use. These details add up to big differences in the way you work.

Did You Know?

Falcon 15 and 50 mL conical tube racks are recyclable?




Falcon Cell Strainers:

A faster, easier method to isolate single cells.

Falcon cell strainers, a unique patented design, simplify your workflow when used with Falcon 50 mL conical tubes. This system is a rapid, easy-to-use method to isolate primary cells and obtain single cell suspensions. Protect your flow cytometry and cell sorting instrumentation by reliably removing clumps and debris from cell suspensions and clinical samples prior to analysis.

Features

- Improved uniformity of single cell suspensions
- Protects your instruments by filtering out clumps and debris
- Three mesh sizes provide flexibility to isolate different size cells prior to analysis



Double thread cap reduces cross threading.

Optically clear to improve specimen visibility.

Polypropylene tubes withstand centrifugal forces, 16,000 RCF.

Sample integrity is maintained in extremely low temperature to -80°C.

Larger writing patch for sample ID.

High Strength

State-of-the-art design and manufacturing create tubes engineered to provide high strength, wide temperature stability, and to perform in your critical applications. They will protect your valuable samples during centrifugation, vortexing, and long term storage in the freezer.

Easy to Use


Falcon® tubes are designed to simplify your work. Easy-to-read dark blue graduations help you accurately measure your samples. The large white writing area allows you to label your samples to minimize mix-ups, while the racks make it easy to store and use Falcon tubes. It's no wonder these are the most referenced tubes in labs today.

Biocompatible

Resins are selected via an intense array of U.S. Pharmacopoeia (USP) toxicity tests to ensure the products do not contain concentrations of bioactive substances that could potentially interfere with biological experiments.

Most Reliable

All Falcon tubes are manufactured and tested to the highest quality standards in the industry for reliable performance and dependable research outcomes. Products you can trust are manufactured in our ISO 9001:2008 and ISO 13485:2012 certified facilities.



Falcon 12 x 75 mm Tube with Cell Strainer Cap

Easiest method to prepare laboratory samples prior to flow cytometry. A 35 µm nylon mesh is incorporated into the tube cap (Cat. No. 352235) to dissociate and collect samples for downstream processing in cell sorting instruments.

Falcon™ Conical Tubes: The Most Dependable Tube in the Lab



Falcon conical tubes are easy to use, high quality tools to protect your precious samples. You can rely on Falcon conical tubes to maintain your sample integrity during spinning, freezing, and storage.

High-clarity Polypropylene

Falcon conical tubes are made from high-clarity polypropylene. Combining strength, chemical resistance, thermal stability, and optical clarity, Falcon tubes provide reliable performance for all of your critical research applications.

Screw Cap

The Falcon 50 mL conical tube with screw-top cap is ideal for applications requiring multiple aliquoting, storage, and pouring from the same tube. These original industry leading Falcon conical tubes have caps which are double-threaded allowing one-handed manipulation and reducing the chance of cross threading.

FALCON CONICAL TUBES SPECIFICATIONS

VOLUME	DIMENSIONS	MATERIAL	CAP	RCF	TYPICAL APPLICATIONS
15 mL	17x120 mm	PP	Dome Top	12,000	High speed spins, freezing, storage Particulate analysis, optical measurement
	17x120 mm	PS	Dome Top	1,800	
50 mL	30x115 mm	PP	Flat-top	16,000	High speed spins, freezing, storage
175 mL	61x118 mm	PP	Plug-seal	7,500	Maxiprep, sample washing and concentration
225 mL	61x137 mm	PP	Plug-seal	7,500	Maxiprep, sample washing and concentration

PP = Polypropylene, PS = Polystyrene

Features

- Ideal for long-term cryogenic storage of specimens at -80°C (polypropylene)
- Industry leading centrifugation rating of 16,000 RCF (50 mL polypropylene)
- Unique double threaded cap design reduces cross threading and leakage
- Packaged in convenient reusable racks or compact environmentally-friendly bulk packs
- Sterile, non-cytotoxic, meets USP VI, non-pyrogenicity tested to less than 0.1 EU/mL

Falcon™ Round-Bottom Tubes: The Most Widely Referenced Tube in the World



Falcon round-bottom tubes are the most widely referenced tubes. These industry leading high-quality round-bottom tubes exceed researcher's requirements for ease-of-use, reliability, and versatility. These tubes are manufactured in our state-of-the-art manufacturing facility to meet rigorous quality standards. The tighter dimensional tolerances provide assurance for consistent reproducible performance in your assays.

Dual Snap-cap

Patented dual snap-cap enables both culturing and storage in the same tube. Leave it loose to allow for aerobic culturing while keeping your sample clean and sterile. When a tight closure is required, simply push down on the cap to obtain a leak-proof seal. This prevents leakage of your sample during handling and storage. It also prevents your sample from evaporating.

Use with Flow Cytometry

Tubes with more consistent inner tolerance, such as the Falcon 5 mL round-bottom tubes, reduce maintenance and wear of the Bal Seal O Ring resulting in less down time and costly repairs of valuable instruments.

FALCON ROUND-BOTTOM TUBE SPECIFICATIONS

VOLUME	DIMENSIONS	MATERIAL	CAP	RCF	TYPICAL APPLICATIONS
5 mL	12x75 mm	PP	Snap	3,000	Thermal resistance and chemical stability High-optical clarity; FACS analysis
		PS	Snap	1,400	
8 mL	13x100 mm	PS	Screw	1,400	High-optical clarity
14 mL*	17x100 mm	PP	Snap	3,000	Thermal resistance and chemical stability High-optical clarity; Suspension cultures
		PS	Snap	1,400	
16 mL	16x125 mm	PS	Screw	1,400	High-optical clarity; Suspension cultures
19 mL	16x150 mm	PS	Screw	1,400	High-optical clarity; Suspension cultures

PP = Polypropylene, PS = Polystyrene, *includes writing patch

Features

- Dual position snap-cap prevents sample loss with ease of handling
- Unsurpassed optical clarity and strength (polypropylene) withstands high centrifugal forces
- Sterile, non-pyrogenicity tested to less than 0.1 EU/mL
- Designed for use with BD FACS™ instrumentation

Falcon™ Pipets and Pipettors: Trust the Original to Enhance Your Aseptic Technique




Falcon pipets are preferred by researchers around the world because of the thoughtful design and attention to manufacturing detail that goes into our products. When you buy Falcon pipets, you're buying products that have been designed, tested and proven to assist you in your research like no other products on the market. Subtle details have been perfected to make Falcon pipets more reliable, more durable, and easier to use. These details add up to big differences in the way you work.

Serological and Aspirating Pipets

Falcon serological and aspirating pipets are sterile polystyrene products differentiated by their graduation markings and color coding. The aspirating pipet does not include a polyester plug to allow fluid to pass through the end of the pipet.

Transfer Pipet

Falcon transfer pipets are polyethylene molded one-piece pipets with a suction bulb. They are ideal for many laboratory applications where simple measurement and safe transfer of fluid volumes is required. They are provided sterile or non-sterile and are ideal for applications such as hematology, urinalysis, blood banking—anywhere there is a need for simple, quick measurement of fluids.



Most Reliable

All Falcon® pipets are manufactured and tested to the highest quality standards in the industry for reliable performance and dependable research outcomes. Products you can trust are manufactured in our ISO 9001:2008 and ISO 13485:2012 certified facilities.

Easy to Use

Falcon pipets are designed to simplify your work. They have large high contrast numbers allowing easy-to-read measurements in the hood. Negative and reverse graduations allow increased volume and convenience when dispensing your fluids.

Biocompatible

Resins are selected via an intense array of U.S. Pharmacopoeia (USP) toxicity tests to ensure the products do not contain concentrations of bioactive substances that could potentially interfere with biological experiments.

Wide Pipet Selection

A large portfolio of sizes and styles including 1-100 mL sizes, space saver, and extended style pipets are available maximizing choice and flexibility. Falcon pipets are available as serological, aspirating, and transfer pipets.

FALCON PIPET SPECIFICATIONS

TYPE	MATERIAL	RANGE	NEGATIVE GRADUATIONS	REVERSE GRADUATIONS	TYPICAL APPLICATIONS
Serological	PS	1 mL to 100 mL	Yes	Yes	Sterile cell culture
Aspirating	PS	2 mL and 5 mL	No	No	Removal of fluids from vessels, a safer alternative to glass Pasteur pipets, and are ideal for feeding cells and washing assay play
Transfer	PET	3 mL	No	No	Transfer of clinical sample fluids

PP = Polypropylene, PS = Polystyrene, PET = Polyethylene Terephthalate

Features

- Lightweight, compact design makes work easier and reduces fatigue
- Unique, detachable stand allows the Falcon Express™ Pipet-Aid® with an attached pipet to be set down without causing backflow or contamination
- Hydrophilic/hydrophobic filter acts as a shutdown system against moisture contamination if overfill occurs

Falcon™ Pipets: The Clear Choice in Superior Fluid Handling



Falcon pipets are easy to use, high quality tools to protect your precious samples. Rigorous process and quality control procedures for volumetric accuracy, sterility, pyrogenicity, and integrity ensure that every Falcon pipet you use will enhance your aseptic fluid processing.

Flexible Packaging Options

Simplify your aseptic work flow with color coding and ease of opening and removal using Falcon pipets. The individual packaging for pipets provide you superior ease-of-use and sterility assurance. A variety of packaging options including paper-plastic, all-plastic, and bulk packages are available to meet your lab needs. The all-plastic packaging provides lower particulate shedding required for clean room environments and is fully recyclable.

Innovative 100 mL Pipet

The Falcon 100 mL pipet has up to a 115 mL graduated capacity for large pipetting. The unique stepped design allows you easy access to small mouthed vessels such as flasks and tubes in an aseptic manner preventing foaming and cell damage, allowing one-handed manipulation and reducing the chance of cross threading.

Features

- Easy-to-read high contrast graduations help you accurately measure and dispense culture media and reagents
- Color-coded pipets facilitate correct size selection
- Negative graduations provide extra capacity reducing the number of pipets required when adding media to culture dishes and flasks
- Reverse graduations (except 1 mL) are convenient for delivering repetitive volumes of liquid
- Polyester fiber plug protects your solutions and pipettors from contamination from overfilling
- Accurate +/- 2% at full volume (serological pipets, excluding 1 and 2 mL)
- Sterile, non-cytotoxic, non-pyrogenic, tested to less than 0.1 EU/mL

Falcon™ Pipet Controller: Ergonomic design for exceptional comfort



The light, ergonomic, motorized pipet controller is designed for use with glass and plastic serological pipets from 0.5 to 100 mL volume ranges. Conveniently positioned switches change operating modes and speeds quickly to handle different liquid volumes and viscosities. Aspirating and dispensing speed is controlled through the finger triggers. When fully charged, the batteries enable up to 8 hours of continuous use. The large LCD display clearly indicates battery status, pipetting mode and speed.

FALCON CELL CULTURE FLASKS AND DISHES: OFFER UNSURPASSED CELL ATTACHMENT AND GROWTH.



Falcon Flasks



Falcon Dishes










Corning offers an extensive selection of cell culture flasks and dishes available in a broad range of culture surfaces, sizes, and styles. With proven reliability and consistency for dependable research outcomes, choose Falcon flasks and dishes.

Features

- Assures consistent culture conditions with routine performance testing
- Range of culture surfaces support a variety of applications including many important cell types such as primary cells, stem cells, neuronal, mesenchymal, hepatocyte, and endothelial cells
- Permits access to the entire growth surface for optimal cell collection (Falcon flasks)
- Secure stacking provides stability from accidental tips or spills, and protection against contamination

Ordering Information: Tubes

Falcon® Conical Tubes

Description	Qty./Pack	Qty./Case	Cat. No.	
POLYPROPYLENE				
15 mL, high-clarity, dome-seal screw cap				
Rack included	50	500	10136120	
No rack	50	500	10773501	
Includes one free empty rack	50	500	11507411	
50 mL, high-clarity, flat-top screw cap				
No rack	25	500	10788561	
Rack included	25	500	10203001	
175 mL, plug-seal screw cap	8	48	10350771	
No rack				
225 mL, plug-seal screw cap	8	48	10733501	
No rack				
POLYSTYRENE				
15 mL, dome-seal screw cap				
No rack	50	500	10263041	
Rack included	50	500	10468502	

Falcon Conical Tube Accessories

	Qty./Pack	Qty./Case	Cat. No.
Cushions			
For use with cat. nos. 352076 and 352075 (with extractor), non-sterile	-	8	10186020
Screw caps for 50 mL tubes	50	1000	15193715




















Falcon Cell Strainers

Mesh Size	Frame Color	Qty./Pack	Qty./Case	Cat. No.
40 µm	Blue	1	50	10737821
70 µm	White	1	50	10788201
100 µm	Yellow	1	50	10282631
12 x 75 mm				
with cell strainer cap, 35 µm		25	500	10585801

Did You Know?

Falcon 15 and 50 mL conical tube racks are recyclable?

Falcon Round-Bottom Tubes

Description	Qty./Pack	Qty./Case	Cat. No.	
POLYPROPYLENE				
12 x 75 mm				
5 mL, snap cap	25	500	10314791	
No cap	125	1000	10655411	
No cap	1000	1000	10519901	
17 x 100 mm				
14 mL, snap cap (unless noted)	1	500	10384641	
	25	500	10110101	
No cap	125	1000	10538272	
POLYSTYRENE				
12 x 75 mm				
5 mL, snap cap (unless noted)	1	500	10088710	
	25	500	10100151	
	125	1000	10186400	
No cap	125	1000	10579511	
No cap, non-sterile	1000	1000	10186360	
13 x 100 mm				
8 mL, screw cap	25	1000	10222901	
17 x 100 mm				
14 mL, snap cap	1	500	10769331	
	25	500	10252421	
	125	1000	10481751	
No cap	125	1000	10408851	
16 x 125 mm				
16 mL, screw cap	1	500	12678475	
	125	1000	10769861	
16 x 150 mm				
19 mL, screw cap	1	500	10694331	

Falcon Round-bottom Tube Accessory

Snap Caps			
Size	Qty./Pack	Qty./Case	Cat. No.
For 12 x 75 mm tubes	500	2000	10011021

Ordering Information: Pipets

Falcon® Serological Pipets, individually wrapped

Size	Color Code	Increments	Overall Capacity	Qty./Pack	Qty./Case	Paper-plastic Thermoform	Advantage™ All-plastic
POLYSTYRENE							
1 mL	Yellow	0.01	0.4 mL	100/box	1000	10058840	11513630
2 mL	Green	0.01	0.8 mL	100/box	1000	10189950	10742191
5 mL	Blue	0.1	2.5 mL	50	200	10468312	10156420
10 mL	Red	0.1	3.0 mL	50	200	10282371	10608261
25 mL Spacesaver™ Extended	Purple	0.25	7.0 mL	50	200	10701942	10024420
	Purple	0.5	11.0 mL	50	200	10701942	11533630
50 mL	Black	1.0	10.0 mL	25	100	10282441	10702541
100 mL	Black	1.0	15.0 mL	5	50	—	10386931

Bulk packaged*

Size	Color Code	Increments	Overall Capacity	Qty./Pack	Qty./Case	Paper-plastic Thermoform
POLYSTYRENE						
1 mL	Yellow	0.01	0.4 mL	25	1000	10614161
2 mL	Green	0.01	0.8 mL	25	1000	10797241
5 mL	Blue	0.1	2.5 mL	25	500	10243091
10 mL	Red	0.1	3.0 mL	25	500	10614511
25 mL Spacesaver	Purple	0.25	7.0 mL	20	200	10151351

Falcon Aspiring Pipets, individually wrapped*

Size	Qty./Pack	Qty./Case	Cat. No.
POLYSTYRENE, NO PLUG, NO GRADUATIONS			
2 mL	50	200	10248470
5 mL	50	200	10635611

*Sterilized by gamma irradiation. Non-pyrogenic.

Falcon Transfer Pipets



Size	Qty./Pack	Qty./Case	Cat. No.
POLYSTYRENE			
3 mL sterile	1	500	10222521
3 mL non-sterile	500	1000	10736841

Falcon® Pipet Controller

Description	Qty./Case	Cat. No.
Falcon Pipet Controller, U.S. version with two 0.2 µm filters and two 0.45 µm filters, 2-position charging stand, universal power supply and set of 3 batteries	1	15309840
Accessories		
Hydrophobic PTFE filter (0.2 µm)	set of 5	15329840
Hydrophobic PTFE filter (0.45 µm)	set of 5	15339840
Silicone pipet holder	1	357474
Battery (set of 3)		15319860

Spare Parts for Falcon Pipettor

Description	Cat. No.
Casing part 1 and 2	15379840
Nose cone	15389840
Connector gasket	15399840
Connector	15319850
Operation buttons	15329850
Divider casing	15339850
Spring	15349850
O-ring	15369850
Silicone tubes	15379850
Control Board	15389850
Pump	15399850
Battery (set of 3)	15319860
Battery cover (US version)	15339860
Battery cover (standard version)	15349860
Universal power supply In:100-250V, Out: 9V	15359860
2-position charging stand	15379860



Distributed by Fisher Scientific. Contact us today:

Austria: fishersci.at **Belgium:** fishersci.be **Denmark:** fishersci.dk
Germany: fishersci.de **Ireland:** fishersci.ie **Italy:** fishersci.it
Finland: fishersci.fi **France:** fishersci.fr **Netherlands:** fishersci.nl
Norway: fishersci.no **Portugal:** fishersci.pt **Spain:** fishersci.es
Sweden: fishersci.se **Switzerland:** fishersci.ch **UK:** fishersci.co.uk

© 2022 Thermo Fisher Scientific Inc. All rights reserved.
Trademarks used are owned as indicated at fishersci.com/trademarks.

